

STATEMENT OF PROPOSAL

Proposed Amendments to the Policy on Development Contributions

Proposal

In accordance with section 102 (4) (b) of the Local Government Act 2002 (LGA), the Queenstown Lakes District Council (QLDC or Council) has begun consultation on amendments to the Policy on Development Contributions. The reason for the amendment is to rectify incorrect differential values that were included in the original 2018 Policy:

The proposed amendments to the Policy on Development Contributions are to correct four differential values identified within the 'Dwelling Equivalent Calculation Table', the amendments are as follows:

- 1) Revision of the Commercial and Industrial water and wastewater differential values
- 2) Revision of the Wanaka Commercial and Industrial transportation differential values
- 3) Revision of the Wakatipu Accommodation transportation differential values
- 4) Revision of the Restaurant/Bar transportation differential values

As the proposed changes will generally be of net benefit to applicants, it is proposed that these changes will apply to any application for resource consent, building consent or application for service connection lodged on or after 14 December 2018

Consultation Timeline

The LGA allows Council to amend the Policy on Development Contributions at any time in accordance with section 102 (4) (b) of the Local Government Act 2002. The consultation undertaken must be in accordance with section 82 (Principles of Consultation). There is no requirement to use the Special Consultative Procedure (SCP), and given that the proposed amendments will generally result in lower assessments for DC's, we intend to keep the consultation process as efficient as possible:

25 October 2018	(Council meeting) Approval to commence consultation
29 October 2018	Commence consultation
12 November 2018	Consultation ends
Mid November 2018	Hearing of submissions
13 December 2018	(Council meeting) Final decision on proposal

Submissions close on **12 November 2018**. Submissions can be emailed to liz.simpson@qldc.govt.nz or posted to DC Policy Submission, Queenstown Lakes District Council, Private Bag 50072, Queenstown 9348.

PART A - PROPOSED CHANGES TO THE POLICY

SUMMARY OF PROPOSED AMENDMENTS TO DEVELOPMENT CONTRIBUTIONS

The following changes are proposed to the Policy on Development Contributions in order to rectify incorrect differential values in the original 2018 policy.

It is proposed that these changes will apply to any application for resource consent, building consent or application for service connection lodged on or after 14 December 2018.

Table one below, highlights the four incorrect differential values (dwelling equivalents) and Table two highlights the proposed changes

Table One: Current in Policy											Table Two: Proposed Changes										
Category	Water Supply	Wastewater	Stormwater	Community Facilities		Reserve Improvements & Reserve Land		Transportation		Transportation - Eastern Access Road	Category	Water Supply	Wastewater	Stormwater	Community Facilities		Reserve Improvements & Reserve Land		Transportation		Transportation - Eastern Access Road
	Dwelling Equivalents per 100m ² GFA	Dwelling Equivalents per 100m ² GFA	Dwelling Equivalents per 100m ² Impervious Surface Area	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	Dwelling Equivalents per 100m ² GFA		Dwelling Equivalents per 100m ² GFA	Dwelling Equivalents per 100m ² GFA	Dwelling Equivalents per 100m ² Impervious Surface Area	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	Dwelling Equivalents per 100m ² GFA
Residential	1 Dwelling Equivalent (DE) per unit										Residential	1 Dwelling Equivalent (DE) per unit									
Residential Flat	0.71	0.71	0.38	0.71	0.71	0.71	0.71	0.71	0.71	0.71	Residential Flat	0.71	0.71	0.38	0.71	0.71	0.71	0.71	0.71	0.71	0.71
Multi Unit Residential	0.71	0.71	0.38	0.71	0.71	0.71	0.71	0.71	0.71	0.71	Multi-Unit Residential	0.71	0.71	0.38	0.71	0.71	0.71	0.71	0.71	0.71	0.71
Country Dwelling	Treated as residential if connected to council supply					0.66 DE's per Dwelling		1.0 DE's per Dwelling			Country Dwelling	Treated as residential if connected to council supply					0.66 DE's per Dwelling		1.0 DE's per Dwelling		
Retirement units	0.68 per unit	0.60 per unit	0.38	0.65 per unit		0.41 per unit		0.35 per unit			Retirement units	0.68 per unit	0.60 per unit	0.38	0.65 per unit		0.41 per unit		0.35 per unit		
Accommodation	0.90	0.49	0.38	0.89	1.71	0.89	1.71	2.13	2.25	1.36	Accommodation	0.90	0.49	0.38	0.89	1.71	0.89	1.71	1.88	2.25	1.36
Commercial	0.74	0.57	0.38	0.04	0.06	n/a	n/a	2.83	2.62	2.99	Commercial	0.60	0.41	0.38	0.04	0.06	n/a	n/a	2.83	2.71	2.99
Industrial	0.74	0.57	0.38	0.04	0.06	n/a	n/a	0.94	0.87	0.88	Industrial	0.60	0.41	0.38	0.04	0.06	n/a	n/a	0.94	1.15	0.88
Other	To be individually assessed at the time of application										Other	To be individually assessed at the time of application									
Childcare Centre	0.63	0.77	0.38	0.04	0.06	n/a	n/a	4.29	4.29	4.29	Childcare Centre	0.63	0.77	0.38	0.04	0.06	n/a	n/a	4.29	4.29	4.29
CBD Accommodation	0.90	0.49	0.38	0.89	1.71	0.89	1.71	2.13	2.25	-	CBD Accommodation	0.90	0.49	0.38	0.89	1.71	0.89	1.71	1.88	2.25	-
CBD Commercial	0.74	0.57	0.38	0.04	0.06	n/a	n/a	2.83	2.62	-	CBD Commercial	0.60	0.41	0.38	0.04	0.06	n/a	n/a	2.83	2.71	-
Mixed Use Accomm.	1 DE per Dwelling		0.38	0.97	1.18	0.97	1.18	0.89	0.93	1.09	Mixed Use Accomm.	1 DE per Dwelling		0.38	0.97	1.18	0.97	1.18	0.89	0.93	1.09
Mixed Use Comm.	1 DE per Dwelling		0.38	0.76	0.76	1 DE per Dwelling		1.32	1.46	1.50	Mixed Use Comm.	1 DE per Dwelling		0.38	0.76	0.76	1 DE per Dwelling		1.32	1.46	1.50
Primary Industry	As per residential					0.66 DE's per Dwelling		1.0 DE's per 27Ha	1.0 DE's per 41Ha	-	Primary Industry	As per residential					0.66 DE's per Dwelling		1.0 DE's per 27Ha	1.0 DE's per 41Ha	-
Restaurant/Bar	1.42	1.34	0.38	0.04	0.06	n/a	n/a	2.13	1.98	2.99	Restaurant/Bar	1.42	1.34	0.38	0.04	0.06	n/a	n/a	2.83	2.71	2.99
Unusual Developments	To be individually assessed at the time of application										Unusual Developments	To be individually assessed at the time of application									

Table One: Current Policy

Table Two: Proposed Changes

Amendment 1 – Amend the Commercial and Industrial water and wastewater dwelling equivalents

The Policy includes incorrect water and wastewater differential values (dwelling equivalents) for Commercial, Industrial & CBD Commercial and accordingly the following text is amended as follows:

(Page 207 – deleted text struck out, (new text underlined))

Category	Dwelling Equivalents per 100m ² GFA	Dwelling Equivalents per 100m ² GFA
Commercial	0.74 <u>0.60</u>	0.57 <u>0.41</u>
Industrial	0.74 <u>0.60</u>	0.57 <u>0.41</u>
CBD Commercial	0.74 <u>0.60</u>	0.57 <u>0.41</u>

Amendment 2 – Revision of the Wanaka Commercial and Industrial transportation dwelling equivalents

The Policy includes incorrect transport differential values (dwelling equivalents) for Wanaka Commercial, Industrial & CBD Commercial and accordingly the following text is amended as follows:

(Page 207 – deleted text struck out, (new text underlined))

Category	Dwelling Equivalents per 100m ² GFA for Wanaka
Commercial	2.62 <u>2.71</u>
Industrial	0.87 <u>1.15</u>
CBD Commercial	2.62 <u>2.71</u>

Amendment 3 – Revision of the Wakatipu Accommodation transportation dwelling equivalents

The Policy includes incorrect transport differential values (dwelling equivalent), for Wakatipu Accommodation & CBD Accommodation and accordingly the following text is amended as follows:

(Page 207 – deleted text struck out, (new text underlined))

Category	Dwelling Equivalents per 100m ² GFA for Wakatipu	
Accommodation	2.13 <u>1.88</u>	
CBD Accommodation	2.13 <u>1.88</u>	

Amendment 4 – Revision of the Restaurant/Bar transportation dwelling equivalents

The Policy includes incorrect transport differential values (dwelling equivalent) for Wakatipu & Wanaka Restaurant & Bar and accordingly the following text is amended as follows:

(Page 207 – deleted text struck out, (new text underlined))

Category	Dwelling Equivalents per 100m ² GFA for Wakatipu	Dwelling Equivalents per 100m ² GFA for Wanaka	
Restaurant/Bar	2.13 <u>2.83</u>	1.98 <u>2.71</u>	